

Purist® Wall-mount bathroom sink faucet trim with Lever handles, 1.2 gpm K-T14414-4

Features

- Dual-control wall-mounted
- Lever handles
- Stationary spout
- Less drain
- 9" (229 mm) 90° spout from wall to center of drain
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar)

Material

- Brass
- KOHLER® finishes resist corrosion and tarnishing

Required Products/Accessories

<u>K-410-K</u> Wall-mount Valve

Recommended Products/Accessories

K-23726 Drain treatment K-23723 Faucet cleaner K-14375 24" Double Towel Bar K-14377 Pivoting toilet paper holder K-14435 18" Towel Bar K-14436 24" Towel Bar K-14441 Towel Ring K-14443 Robe Hook K-14444 Vertical toilet paper holder

Optional Products/Accessories

K-7107 Decorative Drain K-7108 Decorative Drain K-7114 Pop-Up Drain K-7127 Drain K-7129 Drain





Codes/Standards

ASME A112.18.1/CSA B125.1 NSF/ANSI/CAN 61 NSF/ANSI/CAN 372 All applicable US Federal and State material regulations DOE - Energy Policy Act 1992 EPA WaterSense® California Energy Commission (CEC) ADA ICC/ANSI A117.1 CSA B651 OBC IAPMO Certification

KOHLER[®] Faucet Lifetime Limited Warranty

See website for detailed warranty information.

Available Colors/Finishes

Color tiles intended for reference only.

Color Code Description


CP	Polished Chrome
SN	Vibrant® Polished Nickel
AF	Vibrant® French Gold
BN	Vibrant® Brushed Nickel



Purist®

KOHLER, Faucets

Wall-mount bathroom sink faucet trim with Lever handles, 1.2 gpm K-T14414-4



Ø 2" (51 mm)

Technical Information

All product dimensions are nominal.

Faucet:

Flow rate:	1.2 gal/min (4.5 l/min)
Pressure:	60 psi (4.1 bar)
Drain included:	No

Spout:

Spout reach:

9-3/8" (237 mm)

Notes

Install this product according to the installation guide.

The distance between the bottom of spout and top of the fixture rim must not be less than 1-1/2" (38 mm) and not greater than 6" (152 mm).

Three 1-1/2" (38 mm) diameter cutout holes are required for spout and handles.

ADA compliant for handles only.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

