


ALBANA 3266 IF AFR

65 3/4" x 31 7/8" x 20 1/8" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Left Drain	60 x 30	Activ-Air
	Right Drain	60 x 32	Soaker - no system
		66 x 32	Whirlpool
			Whirlpool & Activ-Air


FEATURES

- Acrylic surface resistant to stains
- Alcove installation
- Leveling legs for an easy installation
- Above-the-floor rough (AFR) so pipes can be routed without breaking ground or relocating the drain
- Integrated tiling flange for added leak protection
- Available in left-hand or right-hand drain configuration
- Thermoformed acrylic reinforced with fiberglass for a durable bathtub
- Available systems: Whirlpool Bathtub, Activ-Air bathtub and Whirlpool and Activ-Air combo
- Standard round drain

ATTRIBUTES

- Installation Type : Alcove
- Above-the-Floor Rough : Yes
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year




65 3/4" x 31 7/8" x 20 1/8" Bathtub


Wood support design may vary.
All dimensions are approximate.
Structure measurements must be verified
against the unit to ensure proper fit.

DIMENSIONS


PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
65 3/4"	53"	31 7/8"	20 3/4"	20 1/8"
DEEP SUMP HEIGHT	THRESHOLD WIDTH	DECK WIDTH	WEIGHT	DRAIN SIZE
12 1/4"	2 1/4"	3 1/4"	67 Lbs	2"
DRAIN CLEARANCE	SHIPPING LENGTH	SHIPPING WIDTH	SHIPPING HEIGHT	
3"	37"	24"	67"	

SYSTEMS




Activ-Air left drain Activ-Air right drain

Included: 36 Activ-Air micro-jets, one blower with heating element (200 W) and one pneumatic control.



Whirlpool left drain Whirlpool right drain

Included: 6 round jets, two air controls, one 7.5 A pump and one pneumatic control.



Whirlpool/Activ-Air combo left drain Whirlpool/Activ-Air combo right drain

Included: 6 round jets, 35 Activ-Air micro-jets, two air controls, one 7.5 A pump, one blower with heating element (200 W) and two pneumatic controls.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: