

JUNA 3060 IF

59 3/4" x 30" x 17 7/8" Bathtub



FEATURES

- Thermoformed acrylic reinforced with fiberglass for a durable bathtub
- Alcove installation
- Leveling legs for an easy installation
- 1-piece construction for easy installation
- Integrated tiling flange for added leak protection
- Available systems: Whirlpool Bathtub, Activ-Air bathtub and Whirlpool and Activ-Air combo
- Standard round drain
- Warranty: Limited Lifetime


OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Left Drain Right Drain	60 x 30	Activ-Air Soaker - no system Whirlpool Whirlpool & Activ-Air

ATTRIBUTES

- Installation Type : Alcove
- Above-the-Floor Rough : No
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year




59 3/4" x 30" x 17 7/8" Bathtub


Wood support design may vary.
All dimensions are approximate.
Structure measurements must be verified
against the unit to ensure proper fit.


DIMENSIONS

PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
59 3/4"	47 9/16"	30"	18 1/2"	17 7/8"
DEEP SUMP HEIGHT	THRESHOLD WIDTH	DECK WIDTH	WEIGHT	DRAIN SIZE
12 3/16"	3 5/8"	3 5/8"	48 Lbs	2"
DRAIN CLEARANCE	SHIPPING LENGTH	SHIPPING WIDTH	SHIPPING HEIGHT	
1"	33 1/2"	61"	22 1/2"	




Activ-Air left drain Activ-Air right drain

Included: 29 Activ-Air micro-jets, one blower with heating element (200 W) and one pneumatic control.



Whirlpool/Activ-Air combo left drain Whirlpool/Activ-Air combo right drain

Included: 6 round jets, 28 Activ-Air micro-jets, two air controls, one 7.5 A pump, one blower with heating element (200 W) and two pneumatic controls.



Whirlpool left drain Whirlpool right drain

Included: 6 round jets, two air controls, one 7.5 A pump and one pneumatic control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: