

JUNA 3266 IFS

65 3/4" x 32" x 19 7/8" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Left Drain	60 x 30	Activ-Air
	Right Drain	60 x 32	Soaker - no system
		66 x 32	Whirlpool
			Whirlpool & Activ-Air



FEATURES


- Thermoformed acrylic reinforced with fiberglass for a durable bathtub
- Alcove installation
- Leveling legs for an easy installation
- Skirt height: 17.75 in.
- Integrated tiling flange for added leak protection
- Available in left-hand or right-hand drain configuration
- Available systems: Whirlpool Bathtub, Activ-Air bathtub and Whirlpool and Activ-Air combo
- Standard round drain
- Warranty: Limited Lifetime

ATTRIBUTES

- Installation Type : Alcove
- Above-the-Floor Rough : No
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year




65 3/4" x 32" x 19 7/8" Bathtub



Wood support design may vary.
All dimensions are approximate.
Structure measurements must be verified
against the unit to ensure proper fit.


DIMENSIONS

PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
65 3/4"	53 5/8"	32"	20 3/16"	19 7/8"
DEEP SUMP HEIGHT	THRESHOLD WIDTH	DECK WIDTH	SKIRT HEIGHT	WEIGHT
12.187"	3 5/8"	3 5/8"	19 7/8"	68 Lbs
DRAIN SIZE	DRAIN CLEARANCE	SHIPPING WIDTH		
2"	1"	20 1/4"		




**Whirlpool left drain
Whirlpool right drain**

Included: 6 round jets, two air controls, one 7.5 A pump and one pneumatic control.



**Whirlpool/Activ-Air combo left drain
Whirlpool/Activ-Air combo right drain**

Included: 6 round jets, 33 Activ-Air micro-jets, two air controls, one 7.5 A pump, one blower with heating element (200 W) and two pneumatic controls.



**Activ-Air left drain
Activ-Air right drain**

Included: 34 Activ-Air micro-jets, one blower with heating element (200 W) and one pneumatic control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: