ZENYA 6032 IF AFR

59 3/4" x 31 7/8" x 20" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Left Drain	60 x 32	Activ-Air
	Right Drain		Soaker - no system
			Whirlpool
			Whirlpool & Activ-Air

FEATURES

- Comes with leveling legs for ease of installation
- Thermoformed acrylic reinforced with fiberglass for a durable bathtub
- Above-the-floor rough (AFR) facilitates plumbing installation without relocating the existing drain
- Available in left-hand or righthand drain configuration
- Integrated tiling flange for added leak protection

ATTRIBUTES

- Installation Type : Alcove

- Above-the-Floor Rough: Yes

- Material : Acrylic

- Residential Warranty: 25


— Commercial Warranty : 1 Year








59 3/4" x 31 7/8" x 20" Bathtub





Wood support design may vary. All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

TECHNICAL SPECIFICATIONS




59 3/4" x 31 7/8" x 20" Bathtub

DIMENSIONS


PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
59 3/4"	46 5/8"	31 7/8"	19 7/8"	20"
DEEP SUMP HEIGHT	DECK WIDTH	WEIGHT	DRAIN CLEARANCE	SHIPPING LENGTH
12 5/8"	3 1/8"	60 Lbs	3"	63 1/4"
SHIPPING WIDTH	SHIPPING HEIGHT			
33 1/2"	20 1/4"			

SYSTEMS




Activ-Air

Included: 32 Activ-Air micro-jets, one blower with heating element (200 W) and one pneumatic control.



Whirlpool/Activ-Air combo

Included: 6 round jets, 30 Activ-Air micro-jets, two air controls, one 7.5 A pump, one blower with heating element (200 W) and two pneumatic controls.



Whirlpool

Included: 6 round jets, two air controls, one 7.5 A pump and one pneumatic control.

Project:	
Contractor:	
Representative:	
Date:	
Tel:	
Notes:	